AUTHOR INDEX TO VOLUME 58

Abi-Dargham A. *See* Martinez D
Adams D. *See* O'Connor TG
Adan RAH. *See* Hillebrand JJG
Adler CM, Levine AD, DelBello MP, Strakowski SM. Changes in gray matter volume in patients with bipolar disorder, 151
Adler L. *See* Reimherr FW
Agatsuma S. *See* Zhu H
Åhs F. *See* Furmark T
Aïd S. *See* Vancassel S
Aizenstein HJ, Butters MA, Figurski JL, Stenger VA, Reynolds CF III, Carter CS. Prefrontal and striatal activation during sequence learning in geriatric depression, 290
Albrecht D. *See* Stephens DN
Albus M. *See* Schwab SG
Aleardi M. *See* Biederman J
Alexopoulos GS, Kosses DN, Heo M, Murphy CF, Shanmugham B, Gunning-Dixon F. Executive dysfunction and the course of geriatric depression, 204
Alexopoulos GS, Schultz SK, Lebowitz BD. Late-life depression: a model for medical classification, 283
Altar CA, Jurata LW, Charles V, Lemire A, Liu P, Bukhman Y, Young TA, Bullard J, Yokoe H, Webster MJ, Knable MB, Brockman JA. Deficient hippocampal neuron expression of proteasome, ubiquitin, and mitochondrial genes in multiple schizophrenia cohorts, 85
Althoff RR. *See* Hudziak JJ
Altshuler LL, Bookheimer SY, Townsend J, Proenza MA, Eisenberger N, Sabb F, Mintz J, Cohen MS. Blunted activation in orbitofrontal cortex during mania: a functional magnetic resonance imaging study, 763
Amaro E Jr. *See* Valente AA Jr
Anagnostou E. *See* Hollander E
Andrew C. *See* Keedwell PA
Andrew CM. *See* Uher R
Anilkumar A. *See* Antonova E
Ansseau M. *See* Pitchot W
Antonova E, Kumari V, Morris R, Halari R, Anilkumar A, Mehrotra R, Sharma T. The relationship of structural alterations to cognitive deficits in schizophrenia: a voxel-based morphometry study, 457
Appel L. *See* Furmark T
Areán PA, Reynolds CF III. The impact of psychosocial factors on late-life depression, 277
Armony JL. *See* Corbo V
Arnold SE. *See* Sunderland T
Arnsten AFT. *See* Ramos BP
Arranz MJ. *See* Clark DA
Arvidsson A. *See* Hellsten J
Asgharian A. *See* Modell JG
Avula RK. *See* Black JL III

Bachus SE. *See* Holt DJ
Bailer UF. *See* Frank GK
Bain EE. *See* Hasler G
Baker K, Baldeweg T, Sivagnanasundaram S, Scambler P, Skuse D. *COMT* Val108/158 Met modifies mismatch negativity and cognitive function in 22q11 deletion syndrome, 23
Baker N. *See* Ordoñez AE
Baldeweg T. *See* Baker K
Banerjee SP. *See* Rosenberg DR
Bani M. *See* Furmark T
Barbarich-Marsteller N. *See* Frank GK
Barch DM. *See* Bonner-Jackson A
Barker GJ. *See* Kanaan RAA
Barnea-Goraly N. *See* Chang K
Barnes P. *See* Chang K
Barry JJ. *See* Rush AJ
Barton M. *See* Bryant RA
Becker T. *See* Glaser B; Schumacher J
Ben-Shlomo Y. *See* O'Connor TG
Berger GE. *See* Garner B
Bergström M. *See* Furmark T
Berman SM. *See* London ED
Berns GS. *See* Capuron L
Berns GS, Chappelow J, Zink CF, Pagnoni G, Martin-Skurski ME, Richards J. Neurobiological correlates of social conformity and independence during mental rotation, 245
Bhandari R. *See* Rosenberg DR
Bhaskar S. *See* Rhinewine JP
Bian L, Yang JD, Guo TW, Duan Y, Qin W, Sun Y, Feng GY, He L. Association study of the *A2M* and *LRP1* genes with Alzheimer disease in the Han Chinese, 731
Biederman J. *See* Doyle AE; Henin A; Mick E; Wozniak J
Biederman J, James RS. Advances in the neurobiology of pediatric bipolar disorder, 515
Biederman J, Mick E, Hammerness P, Harpold T, Aleardi M, Dougherty M, Wozniak J. Open-label, 8-week trial of olanzapine and risperidone for the treatment of bipolar disorder in preschool-age children, 589
Bilder RM. *See* Narr KL; Rhinewine JP
Binder EB. *See* Schumacher J
Birnbaum H. *See* Kessler RC
Black JL III, Silber MH, Krahn LE, Avula RK, Walker DL, Pankratz VS, Frederickson PA, Slocumb NL. Studies of humoral immunity to preprohypocretin in human leukocyte antigen DQB1*0602-positive narcoleptic subjects with cataplexy, 504
Blazer DG. *See* Jeste DV
Bobb A. *See* Ordoñez AE
Bodnar LM, Wisner KL. Nutrition and depression: implications for improving mental health among childbearing-aged women, 679
Boismenu R. *See* Myers KM
Bonner-Jackson A, Haut K, Csernansky JG, Barch DM. The influence of encoding strategy on episodic memory and cortical activity in schizophrenia, 47
Booij L. *See* Van der Does AJW
Bookheimer SY. *See* Altshuler LL
Boomsma DI. *See* Hudziak JJ
Borlikova G. *See* Stephens DN
Born J. *See* Wagner U
Boutros NN. *See* Hoffman RE
Boyd C. *See* Rosenberg DR
Brahmachari SK. *See* Verma R
Brammer MJ. *See* Keedwell PA; Uher R
Brannan SK. *See* George MS; Rush AJ
B-Rao C. *See* Verma R
Bremner JD. *See* Evans DL
Bressan RA, Erlandsson K, Stone JM, Mulligan RS, Krystal JH, Ell PJ, Pilowsky LS. Impact of schizophrenia and chronic antipsychotic treatment on [123I]CNS-1261 binding to N-methyl-D-aspartate receptors in vivo, 41
Brewer WJ. *See* Garner B

0006-3223/05/$30.00
doi:10.1016/S0006-3223(05)01358-2

BIOL PSYCHIATRY 2005;58:1007–1016

© 2005 Society of Biological Psychiatry

Brixey RD. *See* Willis-Owen SAG
Brockman JA. *See* Altar CA
Brody A. *See* Xu J
Brody AL. *See* London ED
Brown ES, Vigil L, Khan DA, Liggin JDM, Carmody TJ, Rush AJ. A randomized trial of citalopram versus placebo in outpatients with asthma and major depressive disorder: a proof of concept study, 865
Bruder GE, Keilp JG, Xu H, Shikhman M, Schori E, Gorman JM, Gilliam TC. Catechol-O-methyltransferase (COMT) genotypes and working memory: associations with differing cognitive operations, 901
Brunet A. *See* Corbo V
Bryant RA, Felmingham KL, Kemp AH, Barton M, Peduto AS, Rennie C, Gordon E, Williams LM. Neural networks of information processing in posttraumatic stress disorder: a functional magnetic resonance imaging study, 111
Bubl E. *See* van Elst LT
Büchert M. *See* van Elst LT
Buchpiguel CA. *See* Valente AA Jr
Buchsbaum MS. *See* Hazlett EA; Hollander E
Buitelaar J. *See* Slaats-Willemse D
Bukhman Y. *See* Altar CA
Bullard J. *See* Altar CA
Burdick KE. *See* Rhinewine JP
Burke M. *See* George MS; Rush AJ
Burke WJ. *See* Rush AJ
Busatto GF. *See* Valente AA Jr
Butler PD. *See* Leitman DI
Butters MA. *See* Aizenstein HJ

Caetano SC, Olvera RL, Glahn D, Fonseca M, Pliszka S, Soares JC. Fronto-limbic brain abnormalities in juvenile onset bipolar disorder, 525
Campbell IC. *See* Uher R
Cannon TD. *See* Pirkola T
Capuron L, Pagnoni G, Demetrashvili M, Woolwine BJ, Nemeroff CB, Berns GS, Miller AH. Anterior cingulate activation and error processing during interferon-alpha treatment, 190
Carella A. *See* Praschak-Rieder N
Cargol C. *See* Wozniak J
Carmody TJ. *See* Brown ES
Carney RM. *See* Evans DL
Carpenter L. *See* George MS; Rush AJ
Carroll K. *See* Hoffman RE
Castellanos FX. *See* Dickstein DP
Castro CC. *See* Valente AA Jr
Cervellione KL. *See* Rhinewine JP
Chalon S. *See* Vancassel S
Chang K, Barnea-Goraly N, Karchemskiy A, Simeonova DI, Barnes P, Ketter T, Reiss AL. Cortical magnetic resonance imaging findings in familial pediatric bipolar disorder, 197
Chaplin W. *See* Hollander E
Chappelow J. *See* Berns GS
Charles V. *See* Altar CA
Charney DS. *See* Evans DL; Hasler G
Chen AD. *See* Hazlett EA
Chitnis X. *See* Valente AA Jr
Christensen JD. *See* Garver DL
Cichon S. *See* Glaser B; Schumacher J
Clark DA, Arranz MJ, Mata I, Lopéz-Ilundain J, Pérez-Nievas F, Kerwin RW. Polymorphisms in the promoter region of the alpha1A-adrenoceptor gene are associated with schizophrenia/schizoaffective disorder in a Spanish isolate population, 435
Clément M-H. *See* Corbo V
Cohen H, Zohar J, Matar MA, Kaplan Z, Geva AB. Unsupervised fuzzy clustering analysis supports behavioral cutoff criteria in an animal model of posttraumatic stress disorder, 640
Cohen MS. *See* Altshuler LL; Xu J
Colgan L. *See* Ramos BP
Conley RR. *See* Dwivedi Y
Conway C. *See* Rush AJ
Cooke RG. *See* Rush AJ
Corbo V, Clément M-H, Armony JL, Pruessner JC, Brunet A. Size versus shape differences: contrasting voxel-based and volumetric analyses of the anterior cingulate cortex in individuals with acute posttraumatic stress disorder, 119
Corcoran C. *See* O'Keane V
Coric V, Taskiran S, Pittenger C, Wasylink S, Mathalon DH, Valentine G, Saksa J, Wu Y-t, Gueorguieva R, Sanacora G, Malison RT, Krystal JH. Riluzole augmentation in treatment-resistant obsessive-compulsive disorder: an open-label trial, 424
Correll CM, Rosenkranz JA, Grace AA. Chronic cold stress alters prefrontal cortical modulation of amygdala neuronal activity in rats, 382
Courchesne E. *See* Redcay E
Coyne JC. *See* Evans DL
Crockford DN, Goodyear B, Edwards J, Quickfall J, el-Guebaly N. Cue-induced brain activity in pathological gamblers, 787
Crombag HS. *See* Ferrario CR
Csernansky JG. *See* Bonner-Jackson A
Czerski PM. *See* Glaser B

Dahl RE. *See* Lerner JS
Dalgleish T. *See* Uher R
Das SW. *See* Verma R
David SP, Munafò MR, Johansen-Berg H, Smith SM, Rogers RD, Matthews PM, Walton RT. Ventral striatum/nucleus accumbens activation to smoking-related pictorial cues in smokers and nonsmokers: a functional magnetic resonance imaging study, 488
Davidson RJ. *See* Kalin NH
Davis M. *See* Myers KM
Davis SM. *See* George MS; Rush AJ
Dazzan P. *See* Garner B
de Rijke CE. *See* Hillebrand JJG
de Sonneville L. *See* Slaats-Willemse D
Degirmenci M. *See* Wagner U
Dekosky ST. *See* Eror EA
Delbello MP. *See* Adler CM; Perlis RH
Delespaul P. *See* Myin-Germeys I
Delong MR. *See* Evans DL
Demetrashvili M. *See* Capuron L
Demler O. *See* Kessler RC
Derks EM. *See* Hudziak JJ
Deschner M. *See* Schumacher J
Dickey CC. *See* Nakamura M
Dickstein DP, Garvey M, Pradella AG, Greenstein DK, Sharp WS, Castellanos FX, Pine DS, Leibenluft E. Neurologic examination abnormalities in children with bipolar disorder or attention-deficit/hyperactivity disorder, 517
Dinan TG. *See* O'Keane V

Domier CP. *See* Xu J
Donaldson S. *See* Frangou S
Dougherty M. *See* Biederman J
Doyle AE, Wilens TE, Kwon A, Seidman LJ, Faraone SV, Fried R, Swezey A, Snyder L, Biederman J. Neuropsychological functioning in youth with bipolar disorder, 540
Drevets W. *See* Frank GK
Drevets WC. *See* Hasler G
Drosopoulos S. *See* Wagner U
Duan Y. *See* Bian L
Dubey P. *See* Rajkowska G
Duka T. *See* Stephens DN
Dunner D. *See* George MS
Duran FLS. *See* Valente AA Jr.
Dwivedi Y, Mondal AC, Rizavi HS, Conley RR. Suicide brain is associated with decreased expression of neurotrophins, 315

Easter PC. *See* Rosenberg DR
Ebert D. *See* van Elst LT
Edwards J. *See* Crockford DN
Eisenberger N. *See* Altshuler LL
Ekstrand J. *See* Hellsten J
el-Guebaly N. *See* Crockford DN
Ell PJ. *See* Bressan RA
Eltayb A, Wadenberg M-L G, Svensson TH. Enhanced cortical dopamine output and antipsychotic-like effect of raclopride with adjunctive low-dose L-dopa, 337
Ende G, Welzel H, Walter S, Hermann D, Heinz A, Mann K. Monitoring the effects of chronic alcohol consumption and abstinence on brain metabolism: a longitudinal proton magnetic resonance spectroscopy study, 974
Eranti SV. *See* Uher R
Erlandsson K. *See* Bressan RA
Ernst M. *See* Jazbec S; Xu J
Ernst M, Paulus MP. Neurobiology of decision making: a selective review from a neurocognitive and clinical perspective, 597
Eror EA, Lopez OL, Dekosky ST, Sweet RA. Alzheimer disease subjects with psychosis have increased schizotypal symptoms before dementia onset, 325
Esposito K. *See* Hollander E
Evans DL, Charney DS, Lewis L, Golden RN, Gorman JM, Krishnan KRR, Nemeroff CB, Bremner JD, Carney RM, Coyne JC, Delong MR, Frasure-Smith N, Glassman AH, Gold PW, Grant I, Gwyther L, Ironson G, Johnson RL, Kanner AM, Katon WJ, Kaufmann PG, Keefe FJ, Ketter T, Laughren TP, Leserman J, Lyketsos CG, McDonal WM, McEwen BS, Miller AH, Musselman D, O'Connor C, Petitto JM, Pollock BG, Robinson RG, Roose SP, Rowland J, Sheline Y, Sheps DS, Simon G, Spiegel D, Stunkard A, Sunderland T, Tibbits P, Valvo WJ. Mood disorders in the medically ill: scientific review and recommendations, 175
Evans S. *See* Martinez D

Fabrizio K. *See* Zhu H
Falloon IRH. *See* Kessler RC
Faraone SV. *See* Doyle AE; Hudziak JJ
Farrow TFD, Whitford TJ, Williams LM, Gomes L, Harris AWF. Diagnosis-related regional gray matter loss over two years in first episode schizophrenia and bipolar disorder, 713
Felmingham KL. *See* Bryant RA
Feng GY. *See* Bian L
Ferrario CR, Gorny G, Crombag HS, Li Y, Kolb B, Robinson TE. Neural and behavioral plasticity associated with the transition from controlled to escalated cocaine use, 751
Fienberg AA. *See* Zhu H
Figurski JL. *See* Aizenstein HJ
First M. *See* Jeste DV
Fisch GS. *See* Rhinewine JP
Flint J. *See* Willis-Owen SAG
Flyckt K. *See* Furmark T
Fonseca M. *See* Caetano SC
Foster VJ. *See* Modell JG
Fox AS. *See* Kalin NH
Fox NA. *See* Rich BA
Foxe JJ. *See* Leitman DI
Frangou S, Donaldson S, Hadjulis M, Landau S, Goldstein LH. The Maudsley Bipolar Disorder Project: executive dysfunction in bipolar disorder I and its clinical correlates, 859
Frangou S, Haldane M, Roddy D, Kumari V. Evidence for deficit in tasks of ventral, but not dorsal, prefrontal executive function as an endophenotypic marker for bipolar disorder, 838
Frank GK, Bailer UF, Henry SE, Drevets W, Meltzer CC, Price JC, Mathis CA, Wagner A, Hoge J, Ziolko S, Barbarich-Marsteller N, Weissfeld L, Kaye WH. Increased dopamine D2/D3 receptor binding after recovery from anorexia nervosa measured by positron emission tomography and [11C]raclopride, 908
Frasure-Smith N. *See* Evans DL
Frederickson PA. *See* Black JL III
Frederikson M. *See* Furmark T
Fried R. *See* Doyle AE
Friedrich H-C. *See* Uher R
Fuchs S. *See* Pitchot W
Fullerton J. *See* Willis-Owen SAG
Furmark T, Appel L, Michelgård Å, Wahlstedt K, Åhs F, Zancan S, Jacobsson E, Flyckt K, Grohp M, Bergström M, Pich EM, Nilsson L-G, Bani M, Långström B, Frederikson M. Cerebral blood flow changes after treatment of social anxiety with neurokinin-1 antagonist GR205171, citalopram, or placebo, 132

Gagnon E. *See* Kessler RC
Garner B, Pariante CM, Wood SJ, Velakoulis D, Phillips L, Soulsby B, Brewer WJ, Smith DJ, Dazzan P, Berger GE, Yung AR, van den Buuse M, Murray R, McGorry PD, Pantelis C. Pituitary volume predicts future transition to psychosis in individuals at ultra-high risk of developing psychosis, 417
Garver DL, Holcomb JA, Christensen JD. Cerebral cortical gray expansion associated with two second-generation antipsychotics, 62
Garvey M. *See* Dickstein DP
Geaga JA. *See* London ED
George MS. *See* Kozel FA; Rush AJ
George MS, Rush AJ, Marangell LB, Sackeim HA, Brannan SK, Davis SM, Howland R, Kling MA, Moreno F, Rittberg BR, Dunner D, Schwartz T, Carpenter L, Burke M, Ninan P, Goodnick P. A one-year comparison of vagus nerve stimulation with treatment as usual for treatment-resistant depression, 355
Geva AB. *See* Cohen H
Giampietro V. *See* Uher R

Gil R. *See* Martinez D
Gilliam TC. *See* Bruder GE
Ginovart N. *See* Praschak-Rieder N
Ginsberg D. *See* Rush AJ
Glahn D. *See* Caetano SC; Pirkola T
Glaser B, Schumacher J, Williams HJ, Jamra RA, Ianakiev N, Milev R, Ohlraun S, Schulze TG, Czerski PM, Hauser J, Jönsson EG, Sedvall GC, Klopp N, Illig T, Becker T, Propping P, Williams NM, Cichon S, Kirov G, Rietschel M, Murphy KC, O'Donovan MC, Nöthen MM, Owen MJ. No association between the putative functional *ZDHHC8* single nucleotide polymorphism rs175174 and schizophrenia in large European samples, 78
Glassman AH. *See* Evans DL
Glover V. *See* O'Connor TG
Gogtay N. *See* Ordoñez AE
Gold PW. *See* Evans DL
Golden RN. *See* Evans DL
Golding J. *See* O'Connor TG
Goldstein LH. *See* Frangou S
Gomes L. *See* Farrow TFD
Gong X. *See* Wu S
Gonsai K. *See* Martell BA
Gonzalez RM. *See* Lerner JS
Goodnick P. *See* George MS
Goodwin RD, Lewinsohn PM, Seeley JR. Cigarette smoking and panic attacks among young adults in the community: the role of parental smoking and anxiety disorders, 686
Goodyear B. *See* Crockford DN
Gordon E. *See* Bryant RA
Gorman JM. *See* Bruder GE; Evans DL
Gorny G. *See* Ferrario CR
Goulet M. *See* Myers KM
Grace AA. *See* Correll CM
Grandin L. *See* Henin A
Grant I. *See* Evans DL
Greenstein D. *See* Ordoñez AE
Greenstein DK. *See* Dickstein DP
Grenesko EL. *See* Kozel FA
Grohp M. *See* Furmark T
Grover D. *See* Verma R
Guan F. *See* Zhu H
Gueorguieva R. *See* Coric V; Hoffman RE
Gunning-Dixon F. *See* Alexopoulos GS
Guo TW. *See* Bian L
Guo Y. *See* Wu S
Gur RE. *See* Sunderland T
Guyer M. *See* Kessler RC
Gwyther L. *See* Evans DL

Hadjulis M. *See* Frangou S
Halari R. *See* Antonova E
Haldane M. *See* Frangou S
Halpern JH, Sherwood AR, Hudson JI, Yurgelun-Todd D, Pope HG Jr. Psychological and cognitive effects of long-term peyote use among Native Americans, 624
Hamilton SP. *See* Kraft JB
Hammerness P. *See* Biederman J
Hansenne M. *See* Pitchot W
Hanses C. *See* Schwab SG
Hardin M. *See* Jazbec S
Hariri AR. *See* Lerner JS
Harpold T. *See* Biederman J
Harriett AE. *See* Modell JG
Harris AWF. *See* Farrow TFD
Harrison LK. *See* McIntosh AM
Hasler G, Neumeister A, van der Veen JW, Tumonis T, Bain EE, Shen J, Drevets WC, Charney DS. Normal prefrontal gamma-aminobutyric acid levels in remitted depressed subjects determined by proton magnetic resonance spectroscopy, 969
Hassenbach MB. *See* Schwab SG
Hauke W. *See* Kathmann N
Haukka J. *See* Pirkola T
Hauser J. *See* Glaser B
Haut K. *See* Bonner-Jackson A
Hawkins KA. *See* Hoffman RE
Hayashi KM. *See* London ED
Hazlett EA, New AS, Newmark R, Haznedar MM, Lo, JN, Speiser LJ, Chen AD, Mitropoulou V, Minzenberg M, Siever LJ, Buchsbaum MS. Reduced anterior and posterior cingulate gray matter in borderline personality disorder, 614
Haznedar MM. *See* Hazlett EA; Hollander E
He L. *See* Bian L
Hedges DW. *See* Reimherr FW
Hedlund PB, Huitron-Resendiz S, Henriksen SJ, Sutcliffe JG. 5-HT7 receptor inhibition and inactivation induce antidepressantlike behavior and sleep pattern, 831
Heinz A. *See* Ende G
Hellsten J, West MJ, Arvidsson A, Ekstrand J, Jansson L, Wennström M, Tingström A. Electroconvulsive seizures induced angiogenesis in adult rat hippocampus, 871
Henderson I. *See* Rhinewine JP
Henin A, Biederman J, Mick E, Sachs GS, Hirshfeld-Becker DR, Siegel RS, McMurrich S, Grandin L, Nierenberg AA. Psychopathology in the offspring of parents with bipolar disorder: a controlled study, 554
Hennig J. *See* van Elst LT
Henriksen SJ. *See* Hedlund PB
Henry SE. *See* Frank GK
Heo M. *See* Alexopoulos GS
Herman MM. *See* Holt DJ
Hermann D. *See* Ende G
Heron J. *See* O'Connor TG
Hillebrand JJG, Koeners MP, de Rijke CE, Kas MJH, Adan RAH. Leptin treatment in activity-based anorexia, 165
Hillebrand JJG, van Elburg AA, Kas MJH, van Engeland H, Adan RAH. Olanzapine reduces physical activity in rats exposed to activity-based anorexia: possible implications for treatment of anorexia nervosa?, 651
Hines LM, Tabakoff B. Platelet adenylyl cyclase activity: a biological marker for major depression and recent drug use, 955
Hiroi N. *See* Zhu H
Hirshfeld-Becker DR. *See* Henin A
Hoefgen B. *See* Schwab SG
Höfels S. *See* Schumacher J
Hoffman RE, Gueorguieva R, Hawkins KA, Varanko M, Boutros NN, Wu Y-t, Carroll K, Krystal JH. Temporoparietal transcranial magnetic stimulation for auditory hallucinations: safety, efficacy and moderators in a fifty patient sample, 97
Hogarth L. *See* Stephens DN
Hoge J. *See* Frank GK
Holcomb JA. *See* Garver DL

Hollander E, Anagnostou E, Chaplin W, Esposito K, Haznedar MM, Licalzi E, Wasserman S, Soorya L, Buchsbaum M. Striatal volume on magnetic resonance imaging and repetitive behaviors in autism, 226
Holsboer F. *See* Modell S; Schumacher J
Holt DJ, Bachus SE, Hyde TM, Wittie M, Herman MM, Vangel M, Saper CB, Kleinman JE. Reduced density of cholinergic interneurons in the ventral striatum in schizophrenia: an in situ hybridization study, 408
Hong MS. *See* London ED
Houle S. *See* Praschak-Rieder N
Howes MJ. *See* Kessler RC
Howland R. *See* George MS; Rush AJ
Huang Y. *See* Martinez D
Hudson JI. *See* Halpern JH
Hudziak JJ, Althoff RR, Derks EM, Faraone SV, Boomsma DI. Prevalence and genetic architecture of Child Behavior Checklist—Juvenile Bipolar Disorder, 562
Huitron-Resendiz S. *See* Hedlund PB
Husain MM. *See* Rush AJ
Hussey D. *See* Praschak-Rieder N
Hwang D-R. *See* Martinez D
Hyde TM. *See* Holt DJ

Ianakiev N. *See* Glaser B
Ikeda M, Iwata N, Suzuki T, Kitajima T, Yamanouchi Y, Kinoshita Y, Inada T, Ujike H, Ozaki N. Association analysis of chromosome 5 GABAA receptor cluster in Japanese schizophrenia patients, 440
Illig T. *See* Glaser B; Schumacher J
Inada T. *See* Ikeda M
Ironson G. *See* Evans DL
Irukayama-Tomobe Y. *See* Meerabux J
Ising M. *See* Modell S
Ivey J. *See* Rosenberg DR
Iwata N. *See* Ikeda M
Iwayama Y. *See* Meerabux J

Jacobsson E. *See* Furmark T
Jain S. *See* Verma R
James RS. *See* Biederman J
Jamra RA. *See* Glaser B; Schumacher J
Jansson L. *See* Hellsten J
Jarik M. *See* Xu J
Javitt DC. *See* Leitman DI
Jazbec S, McClure E, Hardin M, Pine DS, Ernst M. Cognitive control under contingencies in anxious and depressed adolescents: an antisaccade task, 932
Jeste DV, Blazer DG, First M. Aging-related diagnostic variations: need for diagnostic criteria appropriate for elderly psychiatric patients, 265
Jia M. *See* Wu S
Job DE. *See* McIntosh AM
Johansen-Berg H. *See* David SP
Johnson KA. *See* Kozel FA
Johnson RL. *See* Evans DL
Johnson SC, Lowery N, Kohler C, Turetsky BI. Global-local visual processing in schizophrenia: evidence for an early visual processing deficit, 937
Johnston EC. *See* McIntosh AM
Jönsson EG. *See* Glaser B
Jurata LW. *See* Altar CA

Kalin NH, Shelton SE, Fox AS, Oakes TR, Davidson RJ. Brain regions associated with the expression and contextual regulation of anxiety in primates, 796
Kanaan RAA, Kim J-S, Kaufmann WE, Pearlson GD, Barker GJ, McGuire PK. Diffusion tensor imaging in schizophrenia, 921
Kane J. *See* Rhinewine JP
Kanner AM. *See* Evans DL
Kaplan Z. *See* Cohen H
Kaprio J. *See* Pirkola T
Karchemskiy A. *See* Chang K
Kas MJH. *See* Hillebrand JJG
Kasper S. *See* Winkler D
Kathmann N, Rupertseder C, Hauke W, Zaudig M. Implicit sequence learning in obsessive-compulsive disorder: further support for the fronto-striatal dysfunction model, 239
Katon WJ. *See* Evans DL
Kaufmann PG. *See* Evans DL
Kaufmann WE. *See* Kanaan RAA
Kaye WH. *See* Frank GK
Keedwell PA, Andrew C, Williams SCR, Brammer MJ, Phillips ML. A double dissociation of ventromedial prefrontal cortical responses to sad and happy stimuli in depressed and healthy individuals, 495
Keedwell PA, Andrew C, Williams SCR, Brammer MJ, Phillips ML. The neural correlates of anhedonia in major depressive disorder, 843
Keefe FJ. *See* Evans DL
Keehlisen L. *See* Rhinewine JP
Kegeles L. *See* Martinez D
Keilp JG. *See* Bruder GE
Kemp AH. *See* Bryant RA
Kendler KS. *See* Kessler RC
Kerwin RW. *See* Clark DA
Kessler RC, Birnbaum H, Demler O, Falloon IRH, Gagnon E, Guyer M, Howes MJ, Kendler KS, Shi L, Walters E, Wu EQ. The prevalence and correlates of nonaffective psychosis in the National Comorbidity Survey Replication (NCS-R), 668
Ketter T. *See* Chang K; Evans DL
Khan DA. *See* Brown ES
Kieseppä T. *See* Pirkola T
Kikinis R. *See* Nakamura M
Kim J-S. *See* Kanaan RAA
Kinoshita Y. *See* Ikeda M
Kirov G. *See* Glaser B
Kitajima T. *See* Ikeda M
Kleinman JE. *See* Holt DJ; Perlman WR
Kling MA. *See* George MS; Rush AJ
Klopp N. *See* Glaser B; Schumacher J
Knable MB. *See* Altar CA
Koeners MP. *See* Hillebrand JJG
Kohler C. *See* Johnson SC
Kohn N. *See* Rhinewine JP
Kolb B. *See* Ferrario CR
Konstantinidis A. *See* Winkler D
Kosses DN. *See* Alexopoulos GS
Kosten TR. *See* Martell BA
Kozel FA, Johnson KA, Mu Q, Grenesko EL, Laken SJ, George MS. Detecting deception using functional magnetic resonance imaging, 605
Krabbendam L. *See* Myin-Germeys I
Kraft JB, Slager SL, McGrath PJ, Hamilton SP. Sequence analysis of the serotonin transporter and associations with antidepressant response, 374

Krahn LE. *See* Black JL III
Krishen A. *See* Modell JG
Krishnan KRR. *See* Evans DL; Rajkowska G
Krystal J. *See* Martinez D
Krystal JH. *See* Bressan RA; Coric V; Hoffman RE
Kubendran S. *See* Verma R
Kubicki M. *See* Nakamura M
Kumari V. *See* Antonova E; Frangou S
Kumra S. *See* Rhinewine JP
Kwon A. *See* Doyle AE; Wozniak J

Laken SJ. *See* Kozel FA
Landau S. *See* Frangou S
Långström B. *See* Furmark T
Laruelle M. *See* Martinez D
Lauer CJ. *See* Modell S
Laughren TP. *See* Evans DL
Lavialle M. *See* Vancassel S
Lavori P. *See* Rush AJ
Lawrie SM. *See* McIntosh AM
Lebowitz BD. *See* Alexopoulos GS
Lee M. *See* Zhu H
Leibenluft E. *See* Dickstein DP; Rich BA
Leitman DI, Foxe JJ, Butler PD, Saperstein A, Revheim N, Javitt DC. Sensory contributions to impaired prosodic processing in schizophrenia, 56
Lemire A. *See* Altar CA
Lenane M. *See* Ordoñez AE
Lencz T. *See* Rhinewine JP
Lerer B. *See* Schwab SG
Lerner JS, Gonzalez RM, Dahl RE, Hariri AR, Taylor SE. Facial expressions fo emotion reveal neuroendocrine and cardiovascular stress responses, 743
Leserman J. *See* Evans DL
Levine AD. *See* Adler CM
Lewinsohn PM. *See* Goodwin RD
Lewis L. *See* Evans DL
Li Y. *See* Ferrario CR
Licalzi E. *See* Hollander E
Liggin JDM. *See* Brown ES
Ling W. *See* London ED
Liu J. *See* Wu S
Liu P. *See* Altar CA
Lo JN. *See* Hazlett EA
London ED. *See* Xu J
London ED, Berman SM, Voytek B, Simon SL, Mandelkern MA, Monterosso J, Thompson PM, Brody AL, Geaga JA, Hong MS, Hayashi KM, Rawson RA, Ling W. Cerebral metabolic dysfunction and impaired vigilance in recently abstinent methamphetamine abusers, 770
Lönnqvist J. *See* Pirkola T
Lopez OL. *See* Eror EA
Lopéz-Ilundain J. *See* Clark DA
Lowery N. *See* Johnson SC
Lyketsos CG. *See* Evans DL
Lynch M. *See* Rosenberg DR

MacMaster FP. *See* Rosenberg DR
Maier SE. *See* Nakamura M
Maier W. *See* Schwab SG
Malaspina D. *See* Ordoñez AE
Malison RT. *See* Coric V
Mandelkern MA. *See* London ED
Mann JJ. *See* Sullivan GM
Mann K. *See* Ende G
Marangell LB. *See* George MS; Rush AJ
Marcelis M. *See* Myin-Germeys I
Marchant BK. *See* Reimherr FW
Martell BA, Mitchell E, Poling J, Gonsai K, Kosten TR. Vaccine pharmacotherapy for the treatment of cocaine dependence, 158
Martinez D, Gil R, Slifstein M, Hwang D-R, Huang Y, Perez A, Kegeles L, Talbot P, Evans S, Krystal J, Laruelle M, Abi-Dargham A. Alcohol dependence is associated with blunted dopamine transmission in the ventral striatum, 779
Martin-Skurski ME. *See* Berns GS
Mata I. *See* Clark DA
Matar MA. *See* Cohen H
Mathalon DH. *See* Coric V
Mathis CA. *See* Frank GK
Matthews PM. *See* David SP
McCarley RW. *See* Nakamura M
McClure E. *See* Jazbec S
McDonald WM. *See* Evans DL
McEwen BS. *See* Evans DL
McGorry PD. *See* Garner B
McGrath PJ. *See* Kraft JB
McGuire PK. *See* Kanaan RAA; Valente AA Jr
McIntosh AM, Job DE, Moorhead TWJ, Harrison LK, Lawrie SM, Johnston EC. White matter density in patients with schizophrenia, bipolar disorder, and their unaffected relatives, 254
McLoughlin DM. *See* Uher R
McMurrich S. *See* Henin A
Meerabux J, Iwayama Y, Sakurai T, Ohba H, Toyota T, Yamada K, Nagata R, Irukayama-Tomobe Y, Shimizu H, Yoshitsugu K, Ohta K, Yoshikawa T. Association of an orexin 1 receptor 408Val variant with polydipsia–hyponatremia in schizophrenic subjects, 401
Mehrotra R. *See* Antonova E
Meltzer CC. *See* Frank GK
Mendrek A. *See* Xu J
Metz A. *See* Modell JG
Meyer JH. *See* Praschak-Rieder N
Michelgård Å. *See* Furmark T
Mick E. *See* Biederman J; Henin A; Wozniak J
Mick E, Spencer T, Biederman J. Heterogeneity of irritability in attention-deficit/hyperactivity disorder subjects with and without mood disorders, 576
Miguel EC. *See* Valente AA Jr
Miguel-Hidalgo JJ. *See* Rajkowska G
Milev R. *See* Glaser B
Miller AH. *See* Capuron L; Evans DL
Miller S. *See* Willis-Owen SAG
Mintz J. *See* Altshuler LL
Minzenberg M. *See* Hazlett EA
Mirza Y. *See* Rosenberg DR
Mitchell E. *See* Martell BA
Mitropoulou V. *See* Hazlett EA
Miyahara S. *See* Perlis RH
Modell JG, Rosenthal NE, Harriett AE, Krishen A, Asgharian A, Foster VJ, Metz A, Rockett CB, Wightman DS. Seasonal affective disorder and its prevention by anticipatory treatment with bupropion XL, 658

Modell S, Ising M, Holsboer F, Lauer CJ. The Munich Vulnerability Study on Affective Disorders: premorbid polysomnographic profile of affected high-risk probands, 694
Mogg A. *See* Uher R
Mondal AC. *See* Dwivedi Y
Montague DM. *See* Perlman WR
Monterosso J. *See* London ED; Xu J
Moore GJ. *See* Rosenberg DR
Moorhead TWJ. *See* McIntosh AM
Moreno F. *See* George MS; Rush AJ
Morice E. *See* Vancassel S
Morris R. *See* Antonova E
Mu Q. *See* Kozel FA
Mukerji M. *See* Verma R
Mulligan RS. *See* Bressan RA
Munafò MR. *See* David SP; Willis-Owen SAG
Murphy CF. *See* Alexopoulos GS
Murphy KC. *See* Glaser B
Murphy T. *See* Uher R
Murray R. *See* Garner B
Musselman D. *See* Evans DL
Myers KM, Goulet M, Rusche J, Boismenu R, Davis M. Partial reversal of phencyclidine-induced impairment of prepulse inhibition by secretin, 67
Myin-Germeys I, Marcelis M, Krabbendam L, Delespaul P, van Os J. Subtle fluctuations in psychotic phenomena as functional states of abnormal dopamine reactivity in individuals at risk, 105

Nagata R. *See* Meerabux J
Nakamura M, McCarley RW, Kubicki M, Dickey CC, Niznikiewicz MA, Voglmaier MM, Seidman LJ, Maier SE, Westin C-F, Kikinis R, Shenton ME. Fronto-temporal disconnectivity in schizotypal personality disorder: a diffusion tensor imaging study, 468
Narr KL, Toga AW, Szeszko P, Thompson PM, Woods RP, Robinson D, Sevy S, Wang YP, Schrock K, Bilder RM. Cortical thinning in cingulate and occipital cortices in first episode schizophrenia, 32
Nemeroff CB. *See* Capuron L; Evans DL
Neumeister A. *See* Hasler G
New AS. *See* Hazlett EA
Newmark R. *See* Hazlett EA
Ng VW. *See* Uher R
Nierenberg AA. *See* Perlis RH; Rush AJ
Nilsson L-G. *See* Furmark T
Ninan P. *See* George MS; Rush AJ
Niznikiewicz MA. *See* Nakamura M
Nosten-Bertrand M. *See* Vancassel S
Nöthen MM. *See* Glaser B; Schumacher J
Nou E. *See* Ramos BP

Oakes TR. *See* Kalin NH
O'Connor C. *See* Evans DL
O'Connor TG, Ben-Shlomo Y, Heron J, Golding J, Adams D, Glover V. Prenatal anxiety predicts individual differences in cortisol in pre-adolescent children, 211
O'Donovan MC. *See* Glaser B
Ohba H. *See* Meerabux J
Ohlraun S. *See* Glaser B; Schumacher J
Ohta K. *See* Meerabux J
O'Keane V, Dinan TG, Scott L, Corcoran C. Changes in hypothalamic-pituitary-adrenal axis measures after vagus nerve stimulation therapy in chronic depression, 963
Olbrich HM. *See* van Elst LT
Olmstead R. *See* Xu J
Olvera RL. *See* Caetano SC
Oquendo MA. *See* Sullivan GM
Ordoñez AE, Bobb A, Greenstein D, Baker N, Sporn A, Lenane M, Malaspina D, Rapaport J, Gogtay N. Lack of evidence for elevated obstretic complications in childhood onset schizophrenia, 10
Orlovsky K. *See* Wozniak J
Ovadia S. *See* Ramos BP
Owen MJ. *See* Glaser B
Ozaki N. *See* Ikeda M

Pagnoni G. *See* Berns GS; Capuron L
Pankratz VS. *See* Black JL III
Pantelis C. *See* Garner B
Pariante CM. *See* Garner B
Parsey RV. *See* Sullivan GM
Paulus MP. *See* Ernst M
Pearlson GD. *See* Kanaan RAA
Peduto AS. *See* Bryant RA
Peper JS. *See* van Honk J
Perez A. *See* Martinez D
Perez-Edgar KE. *See* Rich BA
Pérez-Nievas F. *See* Clark DA
Perlis RH, Delbello MP, Miyahara S, Wisniewski SR, Sachs GS, Nierenberg AA. Revisiting depressive-prone bipolar disorder: polarity of initial mood episode and disease course among bipolar I Systemic Treatment Enhancement Program for Bipolar Disorder participants, 549
Perlman WR, Tomaskovic-Crook E, Montague DM, Webster MJ, Rubinow DR, Kleinman JE, Weickert CS. Alteration in estrogen receptor a mRNA levels in frontal cortex and hippocampus of patients with major mental illness, 812
Perras B. *See* Wagner U
Petitto JM. *See* Evans DL
Pezawas L. *See* Winkler D
Phillips L. *See* Garner B
Phillips ML. *See* Keedwell PA; Uher R
Pich EM. *See* Furmark T
Pifferi F. *See* Vancassel S
Pilowsky LS. *See* Bressan RA
Pine DS. *See* Dickstein DP; Jazbec S; Rich BA
Pinto E. *See* Pitchot W
Pirkola T, Tuulio-Henriksson A, Glahn D, Kieseppä T, Haukka J, Kaprio J, Lönnqvist J, Cannon TD. Spatial working memory function in twins with schizophrenia and bipolar disorder, 930
Pitchot W, Hansenne M, Pinto E, Reggers J, Fuchs S, Ansseau M. 5-Hydroxytryptamine 1A receptors, major depression, and suicidal behavior, 854
Pittenger C. *See* Coric V
Pjrek E. *See* Winkler D
Pliszka S. *See* Caetano SC
Poling J. *See* Martell BA
Pollock BG. *See* Evans DL
Pope HG Jr. *See* Halpern JH
Pradella AG. *See* Dickstein DP
Praschak-Rieder N. *See* Winkler D

Praschak-Rieder N, Wilson AA, Hussey D, Carella A, Wei C, Ginovart N, Schwarz MJ, Zach J, Houle S, Meyer JH. Effects of tryptophan depletion on the serotonin transporter in healthy humans, 825
Price JC. *See* Frank GK
Proenza MA. *See* Altshuler LL
Propping P. *See* Glaser B; Schumacher J
Pruessner JC. *See* Corbo V

Qin W. *See* Bian L
Quickfall J. *See* Crockford DN

Rajkowska G, Miguel-Hidalgo JJ, Dubey P, Stockmeier CA, Krishnan KRR. Prominent reduction in pyramidal neurons density in the orbitofrontal cortex of elderly depressed patients, 297
Ramos BP, Colgan L, Nou E, Ovadia S, Wilson SR, Arnsten AFT. The beta-1 adrenergic antagonist, betaxolol, improves working memory performance in rats and monkeys, 894
Rapaport J. *See* Ordoñez AE
Rapaport MH. *See* Rush AJ
Rawson RA. *See* London ED
Redcay E, Courchesne E. When is the brain enlarged in autism? A meta-analysis of all brain size reports, 1
Reggers J. *See* Pitchot W
Reimherr FW, Marchant BK, Strong RE, Hedges DW, Adler L, Spencer TJ, West SA, Soni P. Emotional dysregulation in adult ADHD and response to atomoxetine, 125
Reiss AL. *See* Chang K
Rennie C. *See* Bryant RA
Renshaw P. *See* Rosenberg DR
Revheim N. *See* Leitman DI
Reynolds CF III. *See* Aizenstein HJ; Areán PA
Rhinewine JP, Lencz T, Thaden EP, Cervellione KL, Burdick KE, Henderson I, Bhaskar S, Keehlisen L, Kane J, Kohn N, Fisch GS, Bilder RM, Kumra S. Neurocognitive profile in adolescents with early-onset schizophrenia: clinical correlates, 705
Rich BA, Schmajuk M, Perez-Edgar KE, Pine DS, Fox NA, Leibenluft E. The impact of reward, punishment, and frustration on attention in pediatric bipolar disorder, 532
Richards J. *See* Berns GS
Rietschel M. *See* Glaser B; Schumacher J
Ripley TL. *See* Stephens DN
Rittberg BR. *See* George MS; Rush AJ
Rizavi HS. *See* Dwivedi Y
Robinson D. *See* Narr KL
Robinson RG. *See* Evans DL
Robinson TE. *See* Ferrario CR
Rockett CB. *See* Modell JG
Roddy D. *See* Frangou S
Rodriguez P. *See* Xu J
Rogers RD. *See* David SP
Roose SP. *See* Evans DL
Rosenberg DR, MacMaster FP, Mirza Y, Smith JM, Easter PC, Banerjee SP, Bhandari R, Boyd C, Lynch M, Rose M, Ivey J, Villafuerte RA, Moore GJ, Renshaw P. Reduced anterior cingulate glutamate in pediatric major depression: a magnetic resonance spectroscopy study, 700
Rosenkranz JA. *See* Correll CM
Rosenthal NE. *See* Modell JG
Rowland J. *See* Evans DL
Ruan Y. *See* Wu S
Rubinow DR. *See* Perlman WR
Rupertseder C. *See* Kathmann N
Rüsch N. *See* van Elst LT
Rusche J. *See* Myers KM
Rush AJ. *See* Brown ES; George MS
Rush AJ, Marangell LB, Sackeim HA, George MS, Brannan SK, Davis SM, Howland R, Kling MA, Rittberg BR, Burke WJ, Rapaport MH, Zajecka J, Nierenberg AA, Husain MM, Ginsberg D, Cooke RG. Vagus nerve stimulation for treatment-resistant depression; a randomized, controlled acute phase trial, 347
Rush AJ, Sackeim HA, Marangell LB, George MS, Brannan SK, Davis SM, Lavori P, Howland R, Kling MA, Rittberg BR, Carpenter L, Ninan P, Moreno F, Schwartz T, Conway C, Burke M, Barry JJ. Effects of 12 months of vagus nerve stimulation in treatment-resistant depression: a naturalistic study, 355

Sabb F. *See* Altshuler LL
Sachs GS. *See* Henin A; Perlis RH
Sackeim HA. *See* George MS; Rush AJ
Saksa J. *See* Coric V
Sakurai T. *See* Meerabux J
Sanacora G. *See* Coric V
Saper CB. *See* Holt DJ
Saperstein A. *See* Leitman DI
Scambler P. *See* Baker K
Schmajuk M. *See* Rich BA
Schmäl C. *See* Schumacher J
Schmidt U. *See* Uher R
Schnare L. *See* Wozniak J
Schori E. *See* Bruder GE
Schrock K. *See* Narr KL
Schubert M. *See* Stephens DN
Schultz SK. *See* Alexopoulos GS
Schulze TG. *See* Glaser B; Schumacher J
Schumacher J. *See* Glaser B
Schumacher J, Jamra RA, Becker T, Ohlraun S, Klopp N, Binder EB, Schulze TG, Deschnr M, Schmäl C, Höfels S, Zobel A, Illig T, Propping P, Holsboer F, Rietschel M, Nöthel MM, Cichon S. Evidence for a relationship between genetic variants at the brain-derived neurotrophic factor (BDNF) locus and major depression, 307
Schutter JLG. *See* van Honk J
Schwab SG, Hoefgen B, Hanses C, Hassenbach MB, Albus M, Lerer B, Trixler M, Maier W, Wildenauer DB. Further evidence for association of variants in the AKT1 gene with schizophrenia in a sample of European sib-pair families, 446
Schwartz T. *See* George MS; Rush AJ
Schwarz MJ. *See* Praschak-Rieder N
Scott D. *See* Zhu H
Scott L. *See* O'Keane V
Sedvall GC. *See* Glaser B
Seeley JR. *See* Goodwin RD
Seidman LJ. *See* Doyle AE; Nakamura M
Sevy S. *See* Narr KL
Shanmugham B. *See* Alexopoulos GS
Shao L, Young LT, Wang J-F. Chronic treatment with mood stabilizers lithium and valproate prevents excitotoxicity by inhibiting oxidative stress in rat cerebral cortical cells, 879
Sharma T. *See* Antonova E
Sharp WS. *See* Dickstein DP

Sheline Y. *See* Evans DL
Shelton SE. *See* Kalin NH
Shen J. *See* Hasler G
Shenton ME. *See* Nakamura M
Sheps DS. *See* Evans DL
Sherwood AR. *See* Halpern JH
Shi L. *See* Kessler RC
Shikhman M. *See* Bruder GE
Shimizu H. *See* Meerabux J
Shuang M. *See* Wu S
Siegel RS. *See* Henin A
Siever LJ. *See* Hazlett EA
Silber MH. *See* Black JL III
Simeonova DI. *See* Chang K
Simon G. *See* Evans DL
Simon SL. *See* London ED; Xu J
Simpson N. *See* Sullivan GM
Sivagnanasundaram S. *See* Baker K
Skuse D. *See* Baker K
Slaats-Willemse D, de Sonneville L, Swaab-Barneveld H, Buitelaar J. Motor flexibility problems as a marker for genetic susceptibility to attention-deficit/hyperactivity disorder, 233
Slager SL. *See* Kraft JB
Slifstein M. *See* Martinez D
Slocumb NL. *See* Black JL III
Smith DJ. *See* Garner B
Smith JM. *See* Rosenberg DR
Smith SM. *See* David SP
Snyder L. *See* Doyle AE
Soares JC. *See* Caetano SC
Soni P. *See* Reimherr FW
Soorya L. *See* Hollander E
Soulsby B. *See* Garner B
Speiser LJ. *See* Hazlett EA
Spencer T. *See* Mick E
Spencer TJ. *See* Reimherr FW
Spiegel D. *See* Evans DL
Sporn A. *See* Ordoñez AE
Starr M. *See* Youngstrom E
Stastny J. *See* Winkler D
Stenger VA. *See* Aizenstein HJ
Stephens DN, Ripley TL, Borlikova G, Schubert M, Albrecht D, Hogarth L, Duka T. Repeated ethanol exposure and withdrawal impairs human fear conditioning and depresses long-term potentiation in rat amygdala and hippocampus, 392
Stockmeier CA. *See* Rajkowska G
Stone JM. *See* Bressan RA
Strakowski SM. *See* Adler CM
Strong RE. *See* Reimherr FW
Stunkard A. *See* Evans DL
Sullivan GM, Oquendo MA, Simpson N, Van Heertum RL, Mann JJ, Parsey RV. Brain serotonin1A receptor binding in major depression is related to psychic and somatic anxiety, 947
Sun Y. *See* Bian L
Sunderland T. *See* Evans DL
Sunderland T. Geriatric psychiatry: coming of age in America, 263
Sunderland T, Gur RE, Arnold SE. The use of biomarkers in the elderly: current and future challenges, 272
Surtees PG. *See* Willis-Owen SAG
Sutcliffe JG. *See* Hedlund PB
Suzuki T. *See* Ikeda M
Svensson TH. *See* Eltayb A
Swaab-Barneveld H. *See* Slaats-Willemse D
Sweet RA. *See* Eror EA
Swezey A. *See* Doyle AE
Szeszko P. *See* Narr KL

Tabakoff B. *See* Hines LM
Talbot P. *See* Martinez D
Taskiran S. *See* Coric V
Taylor SE. *See* Lerner JS
Thaden EP. *See* Rhinewine JP
Thiel T. *See* van Elst LT
Thompson PM. *See* London ED; Narr KL
Tibbits P. *See* Evans DL
Tingström A. *See* Hellsten J
Toga AW. *See* Narr KL
Tomaskovic-Crook E. *See* Perlman WR
Townsend J. *See* Altshuler LL
Toyota T. *See* Meerabux J
Treasure J. *See* Uher R
Trixler M. *See* Schwab SG
Tumonis T. *See* Hasler G
Turetsky BI. *See* Johnson SC
Turri MG. *See* Willis-Owen SAG
Tuulio-Henriksson A. *See* Pirkola T

Uher R, Murphy T, Friedrich H-C, Dalgleish T, Brammer MJ, Giampietro V, Phillips ML, Andrew CM, Ng VW, Williams SCR, Campbell IC, Treasure J. Functional neuroanatomy of body shape perception in healthy and eating-disordered women, 990
Uher R, Yoganathan D, Mogg A, Eranti SV, Treasure J, Campbell IC, McLoughlin DM, Schmidt U. Effect of left prefrontal repetitive transcranial magnetic stimulation on food craving, 840
Ujike H. *See* Ikeda M

Valente AA Jr, Miguel EC, Castro CC, Amaro E Jr, Duran FLS, Buchpiguel CA, Chitnis X, McGuire PK, Busatto GF. Regional gray matter abnormalities in obsessive-compulsive disorder: a voxel-based morphometry study, 479
Valentine G. *See* Coric V
Valerius G. *See* van Elst LT
Valvo WJ. *See* Evans DL
van den Buuse M. *See* Garner B
Van der Does AJW, Booij L. Cognitive therapy does not prevent a response to tryptophan depletion in patients also treated with antidepressants, 913
van der Veen JW. *See* Hasler G
van Elburg AA. *See* Hillebrand JJG
van Elst LT, Valerius G, Büchert M, Thiel T, Rüsch N, Bubl E, Hennig J, Ebert D, Olbrich HM. Increased prefrontal and hippocampal glutamate concentration in schizophrenia: evidence from a magnetic resonance spectroscopy study, 724
van Engeland H. *See* Hillebrand JJG
van Grondelle A. *See* Wozniak J
Van Heertum RL. *See* Sullivan GM
van Honk J, Peper JS, Schutter JLG. Testosterone reduces unconscious fear but not consciously experienced anxiety: implications for the disorders of fear and anxiety, 218

van Os J. *See* Myin-Germeys I
Vancassel S, Aïd S, Pifferi F, Morice E, Nosten-Bertrand M, Chalon S, Lavialle M. Cerebral asymmetry and behavioral lateralization in rats chronically lacking n-3 polyunsaturated fatty acids, 805
Vangel M. *See* Holt DJ
Varanko M. *See* Hoffman RE
Velakoulis D. *See* Garner B
Verma R, Mukerji M, Grover D, B-Rao C, Das SW, Kubendran S, Jain S, Brahmachari SK. *MLC1* gene is associated with schizophrenia and bipolar disorder in southern India, 16
Viallafuerte RA. *See* Rosenberg DR
Vigil L. *See* Brown ES
Voglmaier MM. *See* Nakamura M
Voytek B. *See* London ED

Wadenberg M-L G. *See* Eltayb A
Wagner A. *See* Frank GK
Wagner U, Degirmenci M, Drosopoulos S, Perras B, Born J. Effects of cortisol suppression on sleep-associated consolidation of neutral and emotional memory, 885
Wahlstedt K. *See* Furmark T
Wainwright NWJ. *See* Willis-Owen SAG
Walker DL. *See* Black JL III
Walter S. *See* Ende G
Walters E. *See* Kessler RC
Walton RT. *See* David SP
Wang J-F. *See* Shao L
Wang YP. *See* Narr KL
Wasserman S. *See* Hollander E
Wasylink S. *See* Coric V
Webster MJ. *See* Altar CA; Perlman WR
Wei C. *See* Praschak-Rieder N
Weickert CS. *See* Perlman WR
Weissfeld L. *See* Frank GK
Welzel H. *See* Ende G
Wennström M. *See* Hellsten J
West MJ. *See* Hellsten J
West SA. *See* Reimherr FW
Westin C-F. *See* Nakamura M
White DP. *See* Yang C
Whitford TJ. *See* Farrow TFD
Wightman DS. *See* Modell JG
Wildenauer DB. *See* Schwab SG
Wilens TE. *See* Doyle AE
Willeit M. *See* Winkler D
Williams HJ. *See* Glaser B
Williams LM. *See* Bryant RA; Farrow TFD
Williams NM. *See* Glaser B
Williams SCR. *See* Keedwell PA; Uher R
Willis-Owen SAG, Fullerton J, Surtees PG, Wainwright NWJ, Miller S, Flint J. The Val66Met coding variant of the brain-derived neurotrophic factor (BDNF) gene does not contribute toward variation in the personality trait neuroticism, 738
Willis-Owen SAG, Turri MG, Munafò MR, Surtees PG, Wainwright NWJ, Brixey RD, Flint J. The serotonin transporter length polymorphism, neuroticism, and depression: A comprehensive assessment of association, 451
Wilson AA. *See* Praschak-Rieder N
Wilson SR. *See* Ramos BP
Winkelman JW. *See* Yang C
Winkler D, Pjrek E, Praschak-Rieder N, Willeit M, Pezawas L, Konstantinidis A, Stastny J, Kasper S. Actigraphy in patients with seasonal affective disorder and healthy control subjects treated with light therapy, 331
Wisner KL. *See* Bodnar LM
Wisniewski SR. *See* Perlis RH
Wittie M. *See* Holt DJ
Wood SJ. *See* Garner B
Woods RP. *See* Narr KL
Woolwine BJ. *See* Capuron L
Wozniak J. *See* Biederman J
Wozniak J, Biederman J, Kwon A, Mick E, Faraone S, Orlovsky K, Schnare L, Cargol C, van Grondelle A. How cardinal are cardinal symptoms in pediatric bipolar disorder? An examination of the clinical correlates, 583
Wu EQ. *See* Kessler RC
Wu S, Jia M, Ruan Y, Liu J, Guo Y, Shuang M, Gong X, Zhang Y, Yang X, Zhang D. Positive association of the oxytocin receptor gene *(OXTR)* with autism in the Chinese Han population, 74
Wu Y-t. *See* Coric V; Hoffman RE

Xu H. *See* Bruder GE
Xu J, Mendrek A, Cohen MS, Monterosso J, Rodriguez P, Simon SL, Brody A, Jarik M, Domier CP, Olmstead R, Ernst M, London ED. Brain activity in cigarette smokers performing a working memory task: effect of smoking abstinence, 143

Yamada K. *See* Meerabux J
Yamanouchi Y. *See* Ikeda M
Yang C, White DP, Winkelman JW. Antidepressants and periodic leg movements of sleep, 510
Yang JD. *See* Bian L
Yang X. *See* Wu S
Yoganathan D. *See* Uher R
Yokoe H. *See* Altar CA
Yoshikawa T. *See* Meerabux J
Yoshitsugu K. *See* Meerabux J
Young LT. *See* Shao L
Young TA. *See* Altar CA
Youngstrom E, Youngstrom JK, Starr M. Bipolar diagnoses in community mental health: Achenbach Child Behavior Checklist profiles and patterns of comorbidity, 569
Youngstrom JK. *See* Youngstrom E
Yung AR. *See* Garner B
Yurgelun-Todd D. *See* Halpern JH

Zach J. *See* Praschak-Rieder N
Zajecka J. *See* Rush AJ
Zancan S. *See* Furmark T
Zaudig M. *See* Kathmann N
Zhang D. *See* Wu S
Zhang Y. *See* Wu S
Zhu H, Lee M, Guan F, Agatsuma S, Scott D, Fabrizio K, Fienberg AA, Hiroi N. DARPP-32 phosphorylation opposes the behavioral effects of nicotine, 981
Zink CF. *See* Berns GS
Ziolko S. *See* Frank GK
Zobel A. *See* Schumacher J
Zohar J. *See* Cohen H

SUBJECT INDEX TO VOLUME 58

Achenbach Child Behavior Checklist, 569
Actigraphy
  in seasonal affective disorder, 331
Activity-based anorexia
  leptin treatment for, 165
  olanzapine reduction of physical activity in, 651
Adenylyl cyclase, platelet
  major depression and, 955
Adolescents. *See also* Children
  depression in, 632
  schizophrenia in, 705
  smoking in, 686
AKT1
  schizophrenia and, 446
Alcohol abstinence
  brain metabolism affected by, 974
Alcohol consumption
  brain metabolism affected by, 974
  fear conditioning affected by, 392
Alcohol dependence
  dopamine transmission alterations in ventral striatum associated with, 779
Alcohol withdrawal
  fear conditioning affected by, 392
Alpha1A-adrenoceptor gene polymorphisms
  in schizoaffective disorder, 435
  in schizophrenia, 435
Alpha-2-macroglobulin, 731
Alzheimer disease
  A2M gene and, 731
  biomarkers for, 272
  LRP1 gene and, 731
  psychosis associated with, 325
  schizotypal symptoms, 325
A2M, 731
Amygdala
  chronic stress effects on, 382
  long-term potentiation in, binge drinking effects on, 392
Angiogenesis
  hippocampal, electroconvulsive seizure inducement of, 871
Anhedonia
  in major depression, neural correlates of, 843
Anorexia nervosa
  activity-based
    leptin treatment for, 165
    olanzapine reduction of physical activity in, 651
  body shape perception, functional neuroanatomy of, 990
  dopamine D2/D3 receptor binding increases after recovery from, 908
Anterior cingulate
  activation of, during interferon-alpha treatment, 190
  in borderline personality disorder, 614
  glutamate alterations in pediatric major depression, 700
  gray matter, in borderline personality disorder, 614
  in posttraumatic stress disorder
    response of, 111
    shape differences of, 111
Antibiotic prophylaxis, 916
Antidepressants
  acute tryptophan depletion in patients treated with, cognitive therapy effects on, 913
  5-hydroxytryptamine7 receptor and, 831
  periodic leg movements of sleep associated with, 510
  restless legs syndrome and, 510
  serotonin transporter and, 374
Antipsychotic drugs
  [123I]CNS-1261 binding to N-methyl-D-aspartate receptors affected by, 41
  L-dopa with, for schizophrenia, 337
  second-generation
    cerebral cortical gray expansion associated with, 62
Anxiety
  brain regions associated with expression and contextual regulation of, 796
  cognitive control under contingencies in, 632
  consciously experienced, 218
  in elderly, 264
  fear and, 218
  prenatal
    cortisol levels affected by, 211
    hypothalamic-pituitary-adrenal axis functioning affected by, 211
  serotonin1A receptor binding in, 947
Apolipoprotein E, 272
Asthma
  depression and, 865
Atomoxetine
  emotional dysregulation in attention-deficit/hyperactivity disorder treated with, 125
Attention-deficit/hyperactivity disorder
  emotional dysegulation in
    atomoxetine effects on, 125
    description of, 125
  genetic susceptibility to, motor flexibility problems as marker for, 233
  higher-order controlled motor deficits in, 233
  irritability in, 576
  neurologic examination abnormalities in, 517
Auditory hallucinations
  temporoparietal transcranial magnetic stimulation for, 97
Autism
  basal ganglia dysfunction in, 226
  brain enlargement in, 1
  OXTR and, 74
  repetitive behaviors in, 226
  right caudate volume in, 226
Azithromycin
  antibiotic prophylaxis with, for childhood-onset neuropsychiatric disorders, 916

Basal ganglia dysfunction
  in autism, 226
Beta-1 adrenergic antagonists
  betaxolol, 894
  working memory performance improved by, 894
Beta-amyloid, 272
Betaxolol
  working memory performance improved by, 894
Binge drinking
  fear conditioning affected by, 392
Biomarkers
  Alzheimer disease, 272
  in elderly, 272

0006-3223/05/$30.00
doi:10.1016/S0006-3223(05)01359-4

BIOL PSYCHIATRY 2005;58:1017–1023

© 2005 Society of Biological Psychiatry

platelet adenylyl cyclase activity as, for major depression and drug use, 955
Bipolar disorder
brain-derived neurotrophic factor and, 307
depressive-prone, 549
endophenotypic marker of, 838
executive dysfunction in, 859
familial pediatric, 197
gray matter volume changes in, 151, 197
initial episode of, 549
Maudsley Bipolar Disorder Project, 859
MLC1 and, 16
neurofunctional deficits in, 151
offspring of parents with, 554
pediatric
Achenbach Child Behavior Checklist for, 569
attention in, 532
cardinal symptoms in, 583
Child Behavior Checklist for, 562
in community mental health, 569
comorbidities associated with, 569
cortical magnetic resonance imaging findings in, 197
fronto-limbic brain abnormalities in, 525
neurobiology of, 515
neurologic examination abnormalities in, 517
neuropsychological functioning in, 540
olanzapine and risperidone for, 589
schizophrenia and, 930
scientific review of, 175
ventromedial prefrontal cortex deficit as endophenotypic marker of, 838
white matter in
density of, 254
hyperintensities, 197
Body shape perception
functional neuroanatomy of, 990
Borderline personality disorder
anterior and posterior cingulate gray matter in, 614
Brain
enlargement of, in autism, 1
metabolism, alcohol consumption and abstinence effects on, 974
Brain-derived neurotrophic factor
bipolar affective disorder and, 307
major depression and, 307
schizophrenia and, 307
Val66Met polymorphism of, 738
Bright light therapy
seasonal affective disorder treated with, 331
Bulimia nervosa
body shape perception, functional neuroanatomy of, 990
Bupropion XL
seasonal affective disorder prevented using, 658

Cataplexy, 504
Catechol-O-methyltransferase
working memory and, 901
Cerebral blood flow
citalopram effects on, 132
GR205171 effects on, 132
Cerebrum
asymmetry of, in chronic n-3 polyunsaturated fatty acid deficiency, 805
cortical gray expansion associated with second-generation antipsychotic drugs, 62
metabolic dysfunction, in methamphetamine abusers, 770
Childhood-onset schizophrenia
obstetric complications and, 10
Children. *See also* Adolescents
bipolar disorder in
Achenbach Child Behavior Checklist for, 569
cardinal symptoms of, 583
Child Behavior Checklist for, 562
in community mental health, 569
comorbidities associated with, 569
cortical magnetic resonance imaging findings in, 197
fronto-limbic brain abnormalities in, 525
neurobiology of, 515
neurologic examination abnormalities in, 517
olanzapine and risperidone for, 589
of bipolar disorder parents, 554
major depression in, anterior cingulate glutamate reductions associated with, 700
neuropsychiatric disorders, antibiotic prophylaxis with azithromycin or penicillin for, 916
Cholinergic interneurons
in striatum of schizophrenic patients, 408
Chromosome 5 GABAA receptor
schizophrenia and, 440
Chronic depression, 963
Cigarette smoking
abstinence from, effects on working memory tasks, 143
nicotine-related behaviors, DARPP-32 effects on, 981
nucleus accumbens activation in, 488
panic attacks and, 686
ventral striatum activation in, 488
Citalopram
major depression treated with, 865
in major depressive disorder patients with asthma, 865
social anxiety treated with, 132
Clozapine
[123I]CNS-1261 binding to N-methyl-D-aspartate receptors affected by, 41
Cocaine dependence
neural and behavioral plasticity associated with transition to, 751
nucleus accumbens affected by, 751
vaccine pharmacotherapy for, 158
Cognitive control, 632
Cognitive deficits
in methamphetamine abusers, 770
peyote use and, 624
in schizophrenia, 457
Cognitive therapy
tryptophan depletion response not prevented by, in antidepressant-treated patients, 913
COMT Val108/158Met
cognitive function in 22q11 deletion syndrome affected by, 23
mismatch negativity affected by, 23
Cortical gray expansion
second-generation antipsychotic drugs and, 62
Cortical thinning
in first-episode schizophrenia, 32
Cortisol
prenatal anxiety effects on, 211
suppression of, during sleep, 885

[11C]Raclopride, 908
Craving
  food, left prefrontal repetitive transcranial magnetic stimulation effects on, 840
  pathological gambling, 787
Cue-induced craving, for pathological gambling, 787

DARPP-32
  nicotine-related behavioral effects affected by, 981
Deception
  functional magnetic resonance imaging for detection of, 605
Decision making
  neurobiology of, 597
Depression. *See also* Major depression
  in adolescents, 632
  asthma and, 865
  bipolar disorder and, 549
  in childbearing-aged women, 679
  chronic, 963
  citalopram for, 865
  in elderly. *See* Depression, geriatric
  electroencephalographic alterations associated with, 694
  executive dysfunction in, 204
  geriatric
    diagnostic criteria for, 264
    executive dysfunction associated with, 204
    medical classification of, 283
    psychosocial factors' effect on, 277
    pyramidal neurons density reductions in orbitofrontal cortex associated with, 297
    sequence learning in, prefrontal and striatal activation during, 290
  5-hydroxytryptamine 1A receptors associated with suicidal behavior in, 854
  late-life
    medical classification of, 283
    psychosocial factors' effect on, 277
  nutrition and, 679
  prefrontal GABA levels in, 969
  REM density in, 694
  scientific review of, 175
  serotonin transporter length polymorphism and, 451
  suicidal behavior in, 854
  treatment-resistant, 347, 355, 364
  tryptophan depletion and, 913
  vagus nerve stimulation for, 347, 355, 364, 963
Diffusion tensor imaging
  of fronto-temporal disconnectivity in schizotypal personality disorder, 468
  in schizophrenia, 921
Dopamine D2/D3 receptors
  increased binding of, after anorexia nervosa recovery, 908
Dopamine reactivity
  psychotic phenomena and, 105
Dopamine transmission
  in ventral striatum, in alcohol-dependent patients, 779
Drug use
  platelet adenylyl cyclase activity as biomarker for, 955

Eating disorders
  anorexia nervosa. *See* Anorexia nervosa
  body shape perception, functional neuroanatomy of, 990
Elderly
  anxiety disorders in, 264
  biomarker use in, 272
  depression in
    diagnostic criteria for, 264
    executive dysfunction associated with, 204
    psychosocial factors' effect on, 277
    pyramidal neurons density reductions in orbitofrontal cortex associated with, 297
    sequence learning in, prefrontal and striatal activation during, 290
  diagnostic criteria for, 264
  mood disorders in, 264
  psychiatry for, 263
  schizophrenia in, 264
Electroconvulsive seizures
  hippocampal angiogenesis induced by, 871
Emotion
  adaptive expression of, 796
  facial expressions of, stress responses determined from, 742
Emotional dysegulation
  atomoxetine for, in attention-deficit/hyperactivity disorder, 125
Emotional memory
  cortisol suppression effects on sleep-associated consolidation of, 885
Episodic memory
  encoding strategy effects on, 47
Error processing
  interferon-alpha treatment effects on, 190
Estrogen receptor a mRNA
  in major depression, 812
Executive dysfunction
  in bipolar disorder, 859
  in depression, 204
  in geriatric depression, 204

Facial expression
  stress responses determined from, 742
Fear
  anxiety and, 218
  testosterone-related reduction of, 218
Fear conditioning
  binge drinking effects on, 392
Food craving
  left prefrontal repetitive transcranial magnetic stimulation effects on, 840
Frontal cortex
  estrogen receptor a mRNA levels in, in major depression, 812
Fronto-limbic brain abnormalities
  in juvenile onset bipolar disorder, 525
Fronto-striatal dysfunction model
  in obsessive-compulsive disorder, 239
Fronto-temporal disconnectivity
  in schizotypal personality disorder, 468
Frustration
  attention in pediatric bipolar disorder affected by, 532
Functional magnetic resonance imaging
  deception detected using, 605
  orbitofrontal cortex activation during mania, 763
  pathological gambling studies, 787
  posttraumatic stress disorder evaluations, 111

ventral striatum/nucleus accumbens activation in smokers, 488

GABA
neurotransmission abnormalities in, in schizophrenia, 440
prefrontal cortex levels of, in remitted depressed patients, 969
Gambling, pathological
cue-induced brain activity in, 787
Gamma-aminobutyric acid. *See* GABA
Geriatric depression
executive dysfunction associated with, 204
medical classification of, 283
psychosocial factors' effect on, 277
pyramidal neurons density reductions in orbitofrontal cortex associated with, 297
sequence learning in, prefrontal and striatal activation during, 290
Geriatric psychiatry, 263
Global-local visual processing
in schizophrenia, 937
Glutamate
anterior cingulate, in pediatric major depression, 700
prefrontal and hippocampal, in schizophrenia, 724
GR205171
social anxiety treated with, 132
Gray matter
in bipolar disorder patients, 151, 197
cingulate, in borderline personality disorder, 614
regional
loss of, in first episode schizophrenia and bipolar disorder, 713
in obsessive-compulsive disorder, 479

Hallucinogens, 624
Hippocampus
angiogenesis in, electroconvulsive seizure inducement of, 871
estrogen receptor a mRNA levels in, in major depression, 812
glutamate levels, in schizophrenia, 724
neurons, deficient expression in schizophrenia, 85
Human leukocyte antigen DQB1*0602, 504
5-Hydroxytryptamine 1A receptors
suicidal behavior and, in major depression, 854
5-Hydroxytryptamine7 receptor, 831
Hypothalamic-pituitary-adrenal axis
in chronic depression, 963
prenatal anxiety effects on, 211
psychosis and, 417
[123I]CNS-1261
binding to N-methyl-D-aspartate receptors, 41

Implicit sequence learning
in obsessive-compulsive disorder, 239
Information processing
neural networks of, in posttraumatic stress disorder, 111
Interferon-alpha
anterior cingulate activation by, 190
error processing affected by, 190
Irritability, in attention-deficit/hyperactivity disorder, 576

Late-life depression
medical classification of, 283
psychosocial factors' effect on, 277

L-dopa
antipsychotic drugs with, for schizophrenia, 337
raclopride and, 337
Leptin
activity-based anorexia treated with, 165
Light therapy
seasonal affective disorder treated with, 331
Lithium
oxidative stress inhibition by, in cerebral cortical cells, 879
Low-density lipoprotein receptor-related protein 1, 731
LRP1, 731

Magnetic resonance imaging
functional
deception detected using, 605
orbitofrontal cortex activation during mania, 763
pathological gambling studies, 787
posttraumatic stress disorder evaluations, 111
ventral striatum/nucleus accumbens activation in smokers, 488
pediatric bipolar disorder studies, 197
Magnetic resonance spectroscopy
anterior cingulate glutamate alterations in pediatric major depression evaluated using, 700
proton
alcohol consumption and abstinence effects on brain metabolism evaluated using, 974
prefrontal GABA levels in remitted depressed patients assessed using, 969
Major depression. *See also* Depression
anhedonia in, neural correlates of, 843
asthma and, 865
brain-derived neurotrophic factor locus and, 307
citalopram for, 865
electroencephalographic alterations associated with, 694
estrogen receptor a mRNA levels in, 812
5-hydroxytryptamine 1A receptors associated with suicidal behavior in, 854
pediatric, anterior cingulate glutamate in, 700
platelet adenylyl cyclase activity as biomarker for, 955
REM density in, 694
serotonin1A receptor binding in, 947
suicidal behavior in, 854
ventromedial prefrontal cortical responses to sad and happy stimuli in, 495
Major mental illness
estrogen receptor a mRNA levels in, 812
Mania
orbitofrontal cortex activation during, 763
Maudsley Bipolar Disorder Project, 859
Medically ill patients
mood disorders in, 175
Memory
cortisol suppression effects on sleep-associated consolidation of, 885
emotional, 885
episodic, 47
working
betaxolol effects on, 894
catechol-O-methyltransferase genotypes and, 901
smoking abstinence effects on, 143
Mental rotation, 245

Methamphetamine abuse
cerebral metabolic dysfunction in, 770
cognitive deficits associated with, 770
vigilance impairments in, 770
Mismatch negativity
COMT Val108/158Met effects on, 23
Mitochondrial genes
deficient hippocampal neuron expression of, in schizophrenia, 85
Mood disorders. *See also* Depression; Major depression
cognitive control under contingencies in, 632
in elderly, 264
5-hydroxytryptamine7 receptor in, 831
in medically ill patients, 175

n-3 polyunsaturated fatty acid deficiency
behavioral lateralization in, 805
cerebral asymmetry associated with, 805
Narcolepsy
human leukocyte antigen DQB1*0602-positive, preprohypocretin for, 504
National Comorbidity Survey Replication, 668
Native Americans, 624
Neural networks of information processing
in posttraumatic stress disorder, 111
Neurokinin-1 antagonists
GR205171, 132
social anxiety treated with, 132
Neurologic examination
for attention-deficit/hyperactivity disorder, 517
for bipolar disorder in children, 517
Neuroticism
brain-derived neurotrophic factor Val66Met polymorphism and, 738
serotonin transporter length polymorphism and, 451
Neutral memory
cortisol suppression effects on sleep-associated consolidation of, 885
Neutrophins
suicide and, 315
Nicotine
DARPP-32 phosphorylation effects on behavioral effects of, 981
N-methyl-D-aspartate receptors
[123I]CNS-1261 binding to, 41
Nonaffective psychosis, 668
Nucleus accumbens
activation of, in cigarette smoking, 488
cocaine addiction effects on, 750
Nutrition
depression and, 679

Obsessive-compulsive disorder
fronto-striatal dysfunction model for, 239
implicit sequence learning in, 239
regional gray matter abnormalities in, 479
riluzole for, 424
Obstetric complications
childhood-onset schizophrenia and, 10
Olanzapine
physical activity reductions in activity-based anorexia using, 651
risperidone and, for pediatric bipolar disorder, 589
Orbitofrontal cortex
blunted activation in, during mania, 763
pyramidal neurons density reductions in, in elderly depressed patients, 297
Orexin 1 receptor 408Val variant, 401
Oxidative stress
lithium inhibition of, 879
valproate inhibition of, 879
OXTR
autism and, 74

Panic attacks
cigarette smoking and, 686
Pathological gambling
cue-induced brain activity in, 787
Pediatric bipolar disorder
Achenbach Child Behavior Checklist for, 569
attention in, 532
cardinal symptoms in, 583
Child Behavior Checklist for, 562
in community mental health, 569
comorbidities associated with, 569
cortical magnetic resonance imaging findings in, 197
neurobiology of, 515
neurologic examination abnormalities in, 517
neuropsychological functioning in, 540
olanzapine and risperidone for, 589
Penicillin
antibiotic prophylaxis with, for childhood-onset neuropsychiatric disorders, 916
Perceptual process
during social conformity, 245
Periodic leg movements of sleep
antidepressants and, 510
Peyote, 624
Phencyclidine
prepulse inhibition impaired, secretin-related reversal of, 67
Pituitary gland volume
psychosis and, 417
Platelet adenylyl cyclase
major depression and, 955
Polydipsia
orexin 1 receptor 408Val variant and, 401
in schizophrenia, 401
Positron emission tomography, 908
Posterior cingulate
gray matter, in borderline personality disorder, 614
Posttraumatic stress disorder
acute, 111
animal model of, 640
anterior cingulate in
response of, 111
shape differences of, 111
neural networks of information processing in, 111
unsupervised fuzzy clustering analysis supports behavioral cutoff criteria in, 640
Prefrontal cortex
activation of, during sequence learning in geriatric depression, 290
amygdala neuronal activity modulated by, chronic stress effects on, 382
GABA levels in, in remitted depressed patients, 969
glutamate levels, in schizophrenia, 724

repetitive transcranial magnetic stimulation of, effect on food craving, 840
ventromedial, responses to sad and happy stimuli in major depression patients, 495
Pregnancy
childhood-onset schizophrenia and, 10
Prenatal anxiety
cortisol levels affected by, 211
hypothalamic-pituitary-adrenal axis functioning affected by, 211
Preprohypocretin
human leukocyte antigen DQB1*0602-positive narcolepsy response, 504
Prepulse inhibition
phencyclidine-induced impairment of, secretin's effects on, 67
Prosody processing impairments
in schizophrenia, 56
sensory contributions to, 56
Proteasome
deficient hippocampal neuron expression of, in schizophrenia, 85
Proton magnetic resonance spectroscopy
alcohol consumption and abstinence effects on brain metabolism evaluated using, 974
prefrontal GABA levels in remitted depressed patients assessed using, 969
Psychosis
in Alzheimer disease, 325
dopamine reactivity and risk for, 105
first-episode, regional gray matter loss in, 713
nonaffective, 668
pituitary volume associated with progression to, 417
Psychosocial factors
late-life depression affected by, 277
Punishment
attention in pediatric bipolar disorder affected by, 532
Pyramidal neurons
density reductions of, in orbitofrontal cortex of elderly depressed patients, 297

Raclopride
L-dopa with, for schizophrenia, 337
Regional gray matter
loss of, in first episode schizophrenia and bipolar disorder, 713
in obsessive-compulsive disorder, 479
Repetitive transcranial magnetic stimulation
left prefrontal, effect on food craving, 840
Restless legs syndrome
antidepressants and, 510
Reward
attention in pediatric bipolar disorder affected by, 532
Riluzole
obsessive-compulsive disorder treated with, 424
Risperidone
cortical gray expansion associated with, 62
olanzapine and, for pediatric bipolar disorder, 589
rs175174
schizophrenia and, 78

Schizoaffective disorder
alpha1A-adrenoceptor gene polymorphisms associated with, 435
Schizophrenia
in adolescents, 705
AKT1 variants and, 446
alpha1A-adrenoceptor gene polymorphisms associated with, 435
bipolar disorder and, 930
brain-derived neurotrophic factor and, 307
childhood-onset
obstetric complications and, 10
pregnancy and, 10
chromosome 5 GABAA receptor analysis and, 440
cognitive deficits in, regional volume alterations associated with, 457
cortical activity in, encoding strategy effects on, 47
cortical thinning in, 32
diffusion tensor imaging in, 921
early-onset, 705
in elderly, 264
first-episode
cortical thinning in, 32
regional gray matter loss after, 713
GABA neurotransmission abnormalities and, 440
global-local visual processing in, 937
hippocampus in
glutamate concentration, 724
neuron expression, 85
[123I]CNS-1261 binding to N-methyl-D-aspartate receptors affected by, 41
MLC1 and, 16
neurocognitive profile in, 705
polydipsia in, 401
prefrontal glutamate concentration in, 724
prosodic processing impairments in, 56
raclopride and L-dopa for, 337
regional gray matter loss in, 713
rs175174 and, 78
spatial working memory function in, 930
ventral striatum in, cholinergic interneuron density in, 408
visual processing deficits in, 937
white matter density in, 254
ZDHHC8 single nucleotide polymorphism rs175174 and, 78
Schizotypal personality disorder
fronto-temporal disconnectivity in, 468
Seasonal affective disorder
actigraphy in, 331
bright light therapy for, 331
bupropion XL for, 658
Secretin
phencyclidine-induced impairment of prepulse inhibition partially reversed by, 67
Selective serotonin reuptake inhibitors
serotonin transporter and, 374
Sequence learning
in geriatric depression, prefrontal and striatal activation during, 290
implicit, in obsessive-compulsive disorder, 239
Serotonin transporter
antidepressant response and, 374
length polymorphism, 451
selective serotonin reuptake inhibitor response and, 374
tryptophan depletion effects on, 825

Serotonin1A receptor
in major depression, 947
SLC6A4, 451
Sleep
cortisol suppression effects on, 885
Smoking
abstinence from, effects on working memory tasks, 143
in adolescents, 686
nicotine-related behaviors, DARPP-32 effects on, 981
nucleus accumbens activation in, 488
panic attacks and, 686
ventral striatum activation in, 488
Social anxiety
citalopram for, 132
GR205171 for, 132
Social conformity
neurobiological correlates of, 245
perceptual and mental processes during, 245
Spatial working memory
in schizophrenia, 930
Stress
amygdala neuronal activity affected by, 382
facial expressions of emotion as indicators of biological responses to, 742
Striatum
activation of, during sequence learning in geriatric depression, 290
cholinergic interneurons of, in schizophrenic patients, 408
ventral
activation of, in cigarette smokers, 488
cholinergic interneuron density in, of schizophrenia, 408
dopamine transmission alterations in, in alcohol-dependent patients, 779
Suicidal behavior
5-hydroxytryptamine 1A receptors and, in major depression, 854
Suicide
neutrophin levels and, 315

Temporoparietal transcranial magnetic stimulation
auditory hallucinations treated with, 97
Testosterone
fear-reducing properties of, 218
Transcranial magnetic stimulation
left prefrontal repetitive, effect on food craving, 840
temporoparietal, for auditory hallucinations, 97
Treatment-resistant depression, 347, 355, 364
Tryptophan depletion
cognitive therapy effects on response to, in antidepressant-treated patients, 913
depressive symptoms secondary to, 913
serotonin transporter affected by, 825
22q11 deletion syndrome
cognitive function in, 23
COMT Val108/158Met effects on, 23

Ubiquitin
deficient hippocampal neuron expression of, in schizophrenia, 85
Unsupervised fuzzy clustering analysis
cutoff criteria in posttraumatic stress disorder supported by, 640

Vaccine
cocaine dependence treated with, 158
Vagus nerve stimulation
depression treated with, 347, 355, 364, 963
Val66Met, 738
Valproate
oxidative stress inhibition by, in cerebral cortical cells, 879
Ventral striatum
activation of, in cigarette smokers, 488
cholinergic interneuron density in, of schizophrenia, 408
dopamine transmission alterations in, in alcohol-dependent patients, 779
Ventromedial prefrontal cortex
deficits, as endophenotypic marker for bipolar disorder, 838
responses of, to sad and happy stimuli in major depression patients, 495
Visual processing
in schizophrenia, 937
Voxel-based morphometry
anterior cingulate cortex in posttraumatic stress disorder, 119
regional gray matter abnormalities in obsessive-compulsive disorder, 479

White matter
density of, in schizophrenia and bipolar disorder, 254
hyperintensities of, in pediatric bipolar disorder, 197
Working memory
betaxolol effects on, 894
catechol-O-methyltransferase genotypes and, 901
smoking abstinence effects on, 143
spatial, in schizophrenia, 930

ZDHHC8
rs175174 polymorphism of, 78
Ziprasidone
cortical gray expansion associated with, 62